

BEST AVAILABLE COPY

Fax:23698454

May 4 '05

16:18

P.01/07

RECEIVED
CENTRAL FAX CENTER

Patent

Custom No.: 31561

MAY 03 2005

Docket No.: 10221-US-PA

Application No.: 10/604,127

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant : Huang et al.
Application No. : 10/604,127
Filed : 2003/6/27
For : DRAINED WATER RECOVERY SYSTEM AND METHOD
FOR OPERATING THE SAME
Art Unit : 3753
Examiner : Krishnamurthy, Ramesh

TRANSMITTAL LETTER

002-1-703-872-9306

(Via fax : 1+6 pages)

Assistant Commissioner for Patents
Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated February 7, 2005(Paper No.: 20050206), please find the Response to Office Action, in 6 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10221-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,
JIANQ CHYUN Intellectual Property Office

Date: May 4, 2005

By: Belinda Lee
Belinda Lee
Registration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,

Sec. 2, Taipei 100, Taiwan, R.O.C.

Tel: 886-2-2369 2800 Fax: 886-2-2369 7233 / 886-2-2369 7234

E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

RECEIVED
CENTRAL FAX CENTER

MAY 03 2005

Customer No.: 31561
Docket No.: 10221-US-PA
Application No.: 10/604,127

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Huang et al.

Serial No. : 10/604,127

Filed : 06/27/2003

For : DRAINED WATER RECOVERY
SYSTEM AND METHOD FOR
OPERATING THE SAME

Examiner : Krishnamurthy, Ramesh

Art Unit : 3753

Docket No. : 10221-US-PA

No fee is believed to be due. However, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (Order No. 10221-US-PA).

AMENDMENT AND RESPONSE TO OFFICE ACTION

United States Patent and Trademark Office
Customer Service Window
Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Dear Sir:

The Office Action mailed Feb. 7, 2005 has been carefully considered. In response thereto, please consider the following remarks.

Page 1